



## eDrawer4060S-D5 Approved Vendor List (AVL)

### Description

This document is to present the vendor components that are qualified and approved to be used in conjunction with Premio enclosure. The list is curated from Premio lab test results, as well as from AVL and QVL of the aforementioned components. Items unlisted do not reflect on their incompatibility rather than they have yet looked upon. Disqualified items may be listed explicitly. Items on the list are subject to change.

### Enclosures

eDrawer4060S-D5

### Lists

[CPU](#)

[Memory](#)

[IO Card](#)

[HDD](#)

[OS Drive](#)

|                  |            |
|------------------|------------|
| Document Version | 1.00       |
| Release Date     | 2017.11.06 |



## CPU AVL

This list is compiled based on the compatibility between CPU and motherboard.

| Socket   | Family   | Number | Core      | Frequency | Cache  | Power |
|----------|----------|--------|-----------|-----------|--------|-------|
| Socket P | Platinum | 8180   | 28        | 2.50GHz   | 38.5M  | 205W  |
|          | Platinum | 8176   | 28        | 2.10GHz   | 38.5M  | 165W  |
|          | Platinum | 8170   | 26        | 2.10GHz   | 35.75M | 165W  |
|          | Platinum | 8168   | 24        | 2.70GHz   | 33M    | 205W  |
|          | Platinum | 8164   | 26        | 2.00GHz   | 35.75M | 150W  |
|          | Platinum | 8160   | 24        | 2.10GHz   | 33M    | 150W  |
|          | Platinum | 8160T  | 24        | 2.10GHz   | 33M    | 150W  |
|          | Gold     | 6142   | 16        | 2.60GHz   | 22M    | 150W  |
|          | Gold     | 6150   | 18        | 2.70GHz   | 24.75M | 165W  |
|          | Gold     | 6154   | 18        | 3.00GHz   | 24.75M | 200W  |
|          | Gold     | 6152   | 22        | 2.10GHz   | 30.25M | 140W  |
|          | Gold     | 6140   | 18        | 2.30GHz   | 24.75M | 140W  |
|          | Gold     | 6148   | 20        | 2.40GHz   | 27.5M  | 150W  |
|          | Gold     | 6126   | 12        | 2.60GHz   | 19.25M | 125W  |
|          | Gold     | 6130   | 16        | 2.10GHz   | 22M    | 125W  |
|          | Gold     | 6126T  | 12        | 2.60GHz   | 19.25M | 125W  |
|          | Gold     | 6130T  | 16        | 2.10GHz   | 22M    | 125W  |
|          | Gold     | 6138T  | 20        | 2.00GHz   | 27.5M  | 125W  |
|          | Gold     | 6138   | 20        | 2.00GHz   | 27.5M  | 125W  |
|          | Gold     | 6134   | 8         | 3.20GHz   | 24.75M | 130W  |
|          | Gold     | 6132   | 14        | 2.60GHz   | 19.25M | 140W  |
|          | Gold     | 6128   | 6         | 3.40GHz   | 19.25M | 115W  |
|          | Gold     | 5122   | 4         | 3.60GHz   | 16.5M  | 105W  |
|          | Gold     | 5118   | 12        | 2.30GHz   | 16.5M  | 105W  |
|          | Gold     | 5115   | 10        | 2.40GHz   | 13.75M | 85W   |
|          | Gold     | 5120   | 14        | 2.20GHz   | 19.25M | 105W  |
|          | Gold     | 5120T  | 14        | 2.20GHz   | 19.25M | 105W  |
|          | Silver   | 4109T  | 8         | 2.00GHz   | 11M    | 70W   |
|          | Silver   | 4112   | 4         | 2.60GHz   | 8.25M  | 85W   |
|          | Silver   | 4114   | 10        | 2.20GHz   | 13.75M | 85W   |
|          | Silver   | 4108   | 8         | 1.80GHz   | 11M    | 85W   |
|          | Silver   | 4110   | 8         | 2.10GHz   | 11M    | 85W   |
| Silver   | 4116     | 12     | 2.10GHz   | 16.5M     | 85W    |       |
| Bronze   | 3106     | 8      | , 1.70GHz | 11M       | 85W    |       |
| Bronze   | 3104     | 6      | 1.70GHz   | 8.25M     | 85W    |       |



## Memory AVL

This list is compiled based on the compatibility between memory module and motherboard.

| SMC                  | Manufacturer | Manuf. Part #       | Component VRAM Component | Part # of Ranks | HS Compliant | Profile     |
|----------------------|--------------|---------------------|--------------------------|-----------------|--------------|-------------|
| MEM-DR480L-CL02-ER26 | Micron       | MTA9ASF1G72PZ-2G6D1 | Micron                   |                 | 1 RoHS       | Low Profile |
| MEM-DR480L-SL02-ER26 | Samsung      | M393A1G40EB2-CTD    | Samsung                  | K4A4G045WE-BCTD | 1 RoHS       | Low Profile |
| MEM-DR416L-SL02-ER26 | Samsung      | M393A2K40BB2-CTD    | Samsung                  | K4A8G045WB-BCTD | 1 RoHS       | Low Profile |
| MEM-DR432L-SL02-ER26 | Samsung      | M393A4K40BB2-CTD    | Samsung                  | K4A8G045WB-BCTD | 2 RoHS       | Low Profile |



## IO Card AVL

This list is compiled based on the compatibility between the host IO cards and the enclosure.

| IO Card      | Vendor  | Name       | Model        | Chipset | Host Bus  | Cle Lan   | Xfer Rate         | Int. Port          | Ext. Port | Connector | Form Factor |    |
|--------------|---------|------------|--------------|---------|-----------|-----------|-------------------|--------------------|-----------|-----------|-------------|----|
| Network Card |         |            | S40G-i2Q     |         | PCI-E 3.0 | x8        | 40GbE             |                    | 2         | QSFP      | LP          |    |
|              |         |            | SGP-i2       |         | PCI-E 2.0 | x4        | 1 GbE             |                    | 2         | RJ45      | LP          |    |
|              |         |            | SGP-i4       |         | PCI-E 2.0 | x4        | 1 GbE             |                    | 4         | RJ45      | LP          |    |
|              |         |            | STG-b4S      |         | PCI-E 3.0 | x8        | 10 GbE            |                    | 4         | SFP+      | LP          |    |
|              |         |            | STG-i2T      |         | PCI-E 2.0 | x8        | 10 GbE            |                    | 2         | RJ45      | LP          |    |
|              |         |            | STG-i4S      |         | PCI-E 3.0 | x8        | 10 GbE            |                    | 4         | SFP+      | LP          |    |
|              |         |            | STGN-i1S     |         | PCI-E 2.0 | x8        | 10 GbE            |                    | 1         | SFP+      | LP          |    |
|              |         |            | STGN-i2S     |         | PCI-E 2.0 | x8        | 10 GbE            |                    | 2         | SFP+      | LP          |    |
|              |         | Mellanox   | ConnectX-3   | CX354A  |           | PCIe Gen3 | x8                | 56Gb/s IB or 40GbE |           | 2         | QSFP        | LP |
|              |         |            |              | CX353A  |           | PCIe Gen3 | x8                | 56Gb/s IB or 40GbE |           | 1         | QSFP        | LP |
|              |         | ConnectX-4 | CX456A       |         | PCIe Gen3 | x8        | 100Gb/s IB or GbE |                    |           |           | LP          |    |
|              |         |            | CX415A       |         | PCIe Gen3 | x8        | 100Gb/s IB or GbE |                    |           |           | LP          |    |
|              |         |            | CX416A       |         | PCIe Gen3 | x8        | 100Gb/s IB or GbE |                    |           |           | LP          |    |
|              | Intel   |            | X520         | 82599   | PCIe Gen3 | x8        | 10GbE             |                    | 2         | SFP+      | LP          |    |
|              |         |            | XL710        |         | PCIe Gen3 | x8        | 40GbE             |                    | 2         | SFP+      | LP          |    |
|              |         |            | X710-DA4     |         | PCIe Gen3 | x8        |                   |                    | 4         | SFP+      | LP          |    |
|              | Qlogic  |            | QLE2563      |         | PCIe Gen3 | x8        |                   |                    |           |           | LP          |    |
|              |         |            | QLE2672      |         | PCIe Gen3 | x8        |                   |                    |           |           | LP          |    |
|              |         |            | QLE3242      |         | PCIe Gen3 | x8        |                   |                    | 2         | RJ-45     | LP          |    |
|              |         |            | QLE2562      |         | PCI-E 2.0 | x8        | 8 Gb/s FC         |                    | 2 SFP+    |           | LP          |    |
|              | HotLava |            | HL-100G2Q-XL | XL710   | PCIe Gen3 | x8        | 40GbE             |                    | 1         | QSFP      | LP          |    |
|              | Atto    |            | FC-322E      |         |           |           | 32Gb FC           |                    |           |           | LP          |    |
| SAS Card     | Avago   | MegaRAID   | SAS 9286-8e  | SAS2208 | PCIe Gen3 | x8        | 6Gb/s             | 0                  | 8         | SFF-8088  | LP          |    |
|              |         | HBA        | SAS 9207-8e  | SAS2308 | PCIe Gen3 | x8        | 6Gb/s             | 0                  | 8         | SFF-8087  | LP          |    |

| IO Card     | Vendor   | Name     | Model         | Chipset     | Host Bus  | Cle Lan | Xfer Rate | Int. Port | Ext. Port | Connector   | Form Factor |
|-------------|----------|----------|---------------|-------------|-----------|---------|-----------|-----------|-----------|-------------|-------------|
|             |          | HBA      | SAS 9207-4i4e | SAS2308     | PCIe Gen3 | x8      | 6Gb/s     | 4         | 4         | SFF-8087/88 | LP          |
|             |          | HBA      | SAS 9305-24i  | SAS3224 IOC | PCIe Gen3 | x8      | 12Gb/s    | 24        | 0         | SFF-8644    | LP          |
|             |          | HBA      | SAS 9305-16e  | SAS3224 IOC | PCIe Gen3 | x8      | 12Gb/s    | 0         | 16        | SFF-8644    | LP          |
|             |          | HBA      | SAS 9300-8e   | SAS3008 IOC | PCIe Gen3 | x8      | 12Gb/s    | 0         | 8         | SFF-8644    | LP          |
|             |          | HBA      | SAS 9300-16e  | SAS3008 IOC | PCIe Gen3 | x8      | 12Gb/s    | 0         | 16        | SFF-8644    | LP          |
|             |          | HBA      | SAS 9300-4i4e | SAS3008 IOC | PCIe Gen3 | x8      | 12Gb/s    | 4         | 4         | SFF-8643/44 | LP          |
|             |          | MegaRAID | SAS 9380-8i8e | SAS3108 ROC | PCIe Gen3 | x8      | 12Gb/s    | 8         | 8         | SFF-8643/44 | LP          |
|             |          | MegaRAID | SAS 9380-8e   | SAS3108 ROC | PCIe Gen4 | x8      | 12Gb/s    | 0         | 8         | SFF-8644    | LP          |
|             | Adaptec  |          | ASR-71605     |             |           |         |           |           |           |             | LP          |
|             | ATTO     |          | H12F0         |             |           |         | 12Gb/s    |           | 16        |             | LP          |
| Storage Car | Samsung  |          | SM1715        |             | PCIe Gen3 | x8      | PCIe NVMe |           |           |             | LP          |
|             | Kingston |          | EP1000        |             | PCIe Gen3 | x8      | PCIe NVMe |           |           |             | LP          |



## SAS HDD AVL

This list is compiled based on the compatibility between hard drives and expander. Premio backplane is used as a passive medium between those components. Only drives with 3.5" size are supported by the enclosures.

| Vendor | Model           | Type | Gen    | FW   | Capacity | Size | Cache | RPM      |
|--------|-----------------|------|--------|------|----------|------|-------|----------|
| WD     | WD4001FYYG      | SAS  | 6Gb/s  | VR07 | 4TB      | 3.5" | 32MB  | 7200 RPM |
|        | WD3001FYYG      | SAS  | 6Gb/s  | VR07 | 3TB      | 3.5" | 32MB  | 7200 RPM |
|        | WD2001FYYG      | SAS  | 6Gb/s  | VR07 | 2TB      | 3.5" | 32MB  | 7200 RPM |
|        | WD1001FYYG      | SAS  | 6Gb/s  | VR07 | 1TB      | 3.5" | 32MB  | 7200 RPM |
|        | WD9001HKHG      | SAS  | 6Gb/s  | SR07 | 900GB    | 3.5" | 32MB  | 10K RPM  |
|        | WD6001HKHG      | SAS  | 6Gb/s  | SR07 | 600GB    | 3.5" | 32MB  | 10K RPM  |
|        | WD4501HKHG      | SAS  | 6Gb/s  | SR07 | 450GB    | 3.5" | 32MB  | 10K RPM  |
|        | WD3001HKHG      | SAS  | 6Gb/s  | SR07 | 300GB    | 3.5" | 32MB  | 10K RPM  |
| HGST   | HUS726060ALS640 | SAS  | 6Gb/s  | A1E2 | 6TB      | 3.5" | 64MB  | 7200 RPM |
|        | HUS724040ALS640 | SAS  | 6Gb/s  | A152 | 4TB      | 3.5" | 64MB  | 7200 RPM |
|        | HUS724030ALS640 | SAS  | 6Gb/s  | A152 | 3TB      | 3.5" | 64MB  | 7200 RPM |
|        | HUS724020ALS640 | SAS  | 6Gb/s  | A152 | 2TB      | 3.5" | 64MB  | 7200 RPM |
|        | HUS723030ALS640 | SAS  | 6Gb/s  | A220 | 3TB      | 3.5" | 64MB  | 7200 RPM |
|        | HUS723020ALS640 | SAS  | 6Gb/s  | A220 | 2TB      | 3.5" | 64MB  | 7200 RPM |
|        | HUS156060VLS600 | SAS  | 6Gb/s  | A5D0 | 600GB    | 3.5" | 64MB  | 15K RPM  |
|        | HUS156045VLS600 | SAS  | 6Gb/s  | A5D0 | 450GB    | 3.5" | 64MB  | 15K RPM  |
|        | HUS156030VLS600 | SAS  | 6Gb/s  | A5D0 | 300GB    | 3.5" | 64MB  | 15K RPM  |
|        | HUS156060VLS600 | SAS  | 6Gb/s  | A202 | 600GB    | 3.5" | 64MB  | 15K RPM  |
|        | HUS156045VLS600 | SAS  | 6Gb/s  | A202 | 450GB    | 3.5" | 64MB  | 15K RPM  |
|        | HUS156030VLS600 | SAS  | 6Gb/s  | A202 | 300GB    | 3.5" | 64MB  | 15K RPM  |
|        | HUS726060AL5210 | SAS  | 12Gb/s |      | 6TB      | 3.5" | 128MB | 7200 RPM |
|        | HUS726040AL4214 | SAS  | 12Gb/s |      | 4TB      | 3.5" | 128MB | 7200 RPM |
|        | ST3000NM0043    | SAS  | 6Gb/s  | 1    | 3TB      | 3.5" |       | 7200 RPM |
|        | ST2000NM0043    | SAS  | 6Gb/s  | 1    | 2TB      | 3.5" |       | 7200 RPM |
|        | ST1000NM0043    | SAS  | 6Gb/s  | 1    | 1TB      | 3.5" |       | 7200 RPM |
|        | ST4000NM0023    | SAS  | 6Gb/s  | ZZZZ | 4TB      | 3.5" |       | 7200 RPM |
|        | ST3000NM0023    | SAS  | 6Gb/s  | ZZZZ | 3TB      | 3.5" |       | 7200 RPM |
|        | ST2000NM0023    | SAS  | 6Gb/s  | ZZZZ | 2TB      | 3.5" |       | 7200 RPM |
|        | ST1000NM0023    | SAS  | 6Gb/s  | ZZZZ | 4TB      | 3.5" |       | 7200 RPM |
|        | ST32000444SS    | SAS  | 6Gb/s  | 5    | 2 TB     | 3.5" |       | 7200 RPM |
|        | ST33000650SS    | SAS  | 6Gb/s  | 2    | 3TB      | 3.5" |       | 7200 RPM |
|        | ST32000645SS    | SAS  | 6Gb/s  | 2    | 2TB      | 3.5" |       | 7200 RPM |
|        | ST2000NM0001    | SAS  | 6Gb/s  | 2    | 2TB      | 3.5" |       | 7200 RPM |
|        | ST1000NM0001    | SAS  | 6Gb/s  | 2    | 1TB      | 3.5" |       | 7200 RPM |
|        | ST500NM0001     | SAS  | 6Gb/s  | 2    | 500GB    | 3.5" |       | 7200 RPM |
|        | ST33000650SS    | SAS  | 6Gb/s  | 1    | 3TB      | 3.5" |       | 7200 RPM |

| Vendor  | Model        | Type | Gen    | FW  | Capacity | Size | Cache | RPM      |
|---------|--------------|------|--------|-----|----------|------|-------|----------|
|         | ST32000445SS | SAS  | 6Gb/s  | 6   | 2TB      | 3.5" |       | 7200 RPM |
|         | ST31000424SS | SAS  | 6Gb/s  | 6   | 1TB      | 3.5" |       | 7200 RPM |
|         | ST3500414SS  | SAS  | 6Gb/s  | 6   | 500GB    | 3.5" |       | 7200 RPM |
|         | ST32000444SS | SAS  | 6Gb/s  | 5   | 2TB      | 3.5" |       | 7200 RPM |
|         | ST31000424SS | SAS  | 6Gb/s  | 5   | 1TB      | 3.5" |       | 7200 RPM |
|         | ST3500414SS  | SAS  | 6Gb/s  | 5   | 500GB    | 3.5" |       | 7200 RPM |
|         | ST3450802SS  | SAS  | 6Gb/s  | 9   | 450GB    | 3.5" |       | 10K RPM  |
|         | ST3600002SS  | SAS  | 6Gb/s  | 9   | 600GB    | 3.5" |       | 10K RPM  |
|         | ST3600057SS  | SAS  | 6Gb/s  | 8   | 600GB    | 3.5" |       | 15K7 RPM |
|         | ST3450857SS  | SAS  | 6Gb/s  | 8   | 450GB    | 3.5" |       | 15K7 RPM |
|         | ST3300657SS  | SAS  | 6Gb/s  | 8   | 300GB    | 3.5" |       | 15K7 RPM |
|         | ST6000NM0034 | SAS  | 12Gb/s |     | 6TB      | 3.5" | 128MB | 7200 RPM |
| Toshiba | MG03SCA100   | SAS  | 6Gb/s  | 108 | 1TB      | 3.5" |       | 7200 RPM |
|         | MG03SCA200   | SAS  | 6Gb/s  | 108 | 2TB      | 3.5" |       | 7200 RPM |
|         | MG03SCA300   | SAS  | 6Gb/s  | 108 | 3TB      | 3.5" |       | 7200 RPM |
|         | MG03SCA400   | SAS  | 6Gb/s  | 108 | 4TB      | 3.5" |       | 7200 RPM |
|         | MK2001TRKB   | SAS  | 6Gb/s  | 105 | 2TB      | 3.5" |       | 7200 RPM |
|         | MK1001TRKB   | SAS  | 6Gb/s  | 105 | 1TB      | 3.5" |       | 7200 RPM |



## OS Drive AVL

| Manufacturer | Manufacturer Part #     | Interface | Capacity | Buffer | Transfer Rate | MTBF/MTTF | rpm  | Size |
|--------------|-------------------------|-----------|----------|--------|---------------|-----------|------|------|
| Seagate      | ST2000NX0253            | SATA-3    | 2000GB   | 128MB  | 6.0Gb/sec     | 2.0M      | 7200 | 2.5" |
| Seagate      | ST2000NX0403            | SATA-3    | 2000GB   | 128MB  | 6.0Gb/sec     | 2.0M      | 7200 | 2.5" |
| Seagate      | ST1000NX0313            | SATA-3    | 1000GB   | 128MB  | 6.0Gb/sec     | 2.0M      | 7200 | 2.5" |
| Seagate      | ST1000NX0423            | SATA-3    | 1000GB   | 128MB  | 6.0Gb/sec     | 2.0M      | 7200 | 2.5" |
| Intel        | HDS-2TD-SSDSC2BB960G7   | SATA-3    | 960GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Intel        | HDS-2TD-SSDSC2BB800G7   | SATA-3    | 800GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Intel        | HDS-2TD-SSDSC2BB480G7   | SATA-3    | 480GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Intel        | SSDSC2BX480G4           | SATA-3    | 480GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Intel        | HDS-2TM-SSDSC2BA400G4   | SATA-3    | 400GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Intel        | HDS-2TD-SSDSC2BB240G7   | SATA-3    | 240GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Intel        | HDS-2TM-SSDSC2BA200G4   | SATA-3    | 200GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Intel        | HDS-2TD-SSDSC2BB016T7   | SATA-3    | 1600GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Intel        | SSDSC2BB016T6           | SATA-3    | 1600GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Intel        | SSDSC2BX016T4           | SATA-3    | 1600GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Intel        | HDS-2TD-SSDSC2BB150G7   | SATA-3    | 150GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Intel        | HDS-2TD-SSDSC2BB012T7   | SATA-3    | 1200GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Intel        | SSDSC2BA012T4           | SATA-3    | 1200GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Intel        | SSDSC2BB012T6           | SATA-3    | 1200GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Micron       | MTFDDAK960TBY-1AR16ABYY | SATA-3    | 960GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Micron       | MTFDDAK960TBY-1AR1ZABYY | SATA-3    | 960GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Micron       | MTFDDAK960TCB-1AR16ABYY | SATA-3    | 960GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Micron       | MTFDDAK960TCB-1AR1ZABYY | SATA-3    | 960GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Micron       | MTFDDAK960TCC-1AR1ZABYY | SATA-3    | 960GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Micron       | MTFDDAK960MBP-1AN16ABYY | SATA-3    | 960GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Micron       | MTFDDAK960MBP-1AN1ZABYY | SATA-3    | 960GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Micron       | MTFDDAK800MBP-1AN16ABYY | SATA-3    | 800GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |
| Micron       | MTFDDAK800MBP-1AN1ZABYY | SATA-3    | 800GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD  | 2.5" |



| Manufacturer | Manufacturer Part #     | Interface | Capacity | Buffer | Transfer Rate | MTBF/MTTF | rpm | Size |
|--------------|-------------------------|-----------|----------|--------|---------------|-----------|-----|------|
| Micron       | MTFDDAK800MBP-2AN16ABYY | SATA-3    | 800GB    | 0MB    | 6.0Gb/sec     | 2000      | SSD | 2.5" |
| Micron       | MTFDDAK600MBP-1AN16ABYY | SATA-3    | 600GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK480TBY-1AR16ABYY | SATA-3    | 480GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK480TBY-1AR1ZABYY | SATA-3    | 480GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK480TCB-1AR16ABYY | SATA-3    | 480GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK480TCB-1AR1ZABYY | SATA-3    | 480GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK480TCC-1AR1ZABYY | SATA-3    | 480GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK480MBP-1AN16ABYY | SATA-3    | 480GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK480MBP-1AN1ZABYY | SATA-3    | 480GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK480MBP-2AN16ABYY | SATA-3    | 480GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK240TCB-1AR16ABYY | SATA-3    | 240GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK240TCB-1AR1ZABYY | SATA-3    | 240GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK240TCC-1AR1ZABYY | SATA-3    | 240GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK240MBP-1AN16ABYY | SATA-3    | 240GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK240MBP-1AN1ZABYY | SATA-3    | 240GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK240MBP-2AN16ABYY | SATA-3    | 240GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK1T9TBY-1AR16ABYY | SATA-3    | 1920GB   | 0MB    | 6.0Gb/sec     | 2000      | SSD | 2.5" |
| Micron       | MTFDDAK1T9TBY-1AR1ZABYY | SATA-3    | 1920GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK1T9TCB-1AR16ABYY | SATA-3    | 1920GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK1T9TCB-1AR1ZABYY | SATA-3    | 1920GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK1T9TCC-1AR1ZABYY | SATA-3    | 1920GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK120MBP-1AN16ABYY | SATA-3    | 120GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK120MBP-1AN1ZABYY | SATA-3    | 120GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Micron       | MTFDDAK120MBP-2AN16ABYY | SATA-3    | 120GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Samsung      | MZ7KM960HAHP-00005      | SATA-3    | 960GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Samsung      | MZ7LM960HCHP-00005      | SATA-3    | 960GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Samsung      | MZ7KM480HAHP-00005      | SATA-3    | 480GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Samsung      | MZ7LM480HCHP-00005      | SATA-3    | 480GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Samsung      | MZ7LM3T8HCJM-00005      | SATA-3    | 3800GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Samsung      | MZ7KM240HAGR-00005      | SATA-3    | 240GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Samsung      | MZ7LM240HCGR-00005      | SATA-3    | 240GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Samsung      | MZ7KM1T9HAJM-00005      | SATA-3    | 1900GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Samsung      | MZ7LM1T9HCJM-00005      | SATA-3    | 1900GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |

| Manufacturer | Manufacturer Part # | Interface | Capacity | Buffer | Transfer Rate | MTBF/MTTF | rpm | Size |
|--------------|---------------------|-----------|----------|--------|---------------|-----------|-----|------|
| Samsung      | MZ7KM120HAFD-00005  | SATA-3    | 120GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Samsung      | MZ7LM120HCFD-00005  | SATA-3    | 120GB    | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| SanDisk      | SDLF1CRR-019T-1HA2  | SATA-3    | 1920GB   | 0MB    | 6.0Gb/sec     | 2000000   | SSD | 2.5" |
| Seagate      | XF1230-1A0960       | SATA-3    | 960GB    | 0MB    | 6.0Gb/sec     | 2.0M      | SSD | 2.5" |
| Seagate      | XF1230-1A0480       | SATA-3    | 480GB    | 0MB    | 6.0Gb/sec     | 2.0M      | SSD | 2.5" |
| Seagate      | XF1230-1A0240       | SATA-3    | 240GB    | 0MB    | 6.0Gb/sec     | 2.0M      | SSD | 2.5" |
| Seagate      | XF1230-1A1920       | SATA-3    | 1920GB   | 0MB    | 6.0Gb/sec     | 2.0M      | SSD | 2.5" |
| Toshiba      | THNSNJ800PCSZ       | SATA-3    | 800GB    | 0MB    | 6.0Gb/sec     |           | SSD | 2.5" |
| Toshiba      | THNSNJ400PCSZ       | SATA-3    | 400GB    | 0MB    | 6.0Gb/sec     |           | SSD | 2.5" |
| Toshiba      | THNSNJ200PCSZ       | SATA-3    | 200GB    | 0MB    | 6.0Gb/sec     |           | SSD | 2.5" |