



OPEN FRAME TOUCH MONITOR

# FIO-XG1500C

15" IP65 XGA 4:3 Open Frame Industrial Touchscreen Monitor



## Features

- 15" 1024 x 768 XGA LCD panel with LED power saving backlight technology
- 10 point PCAP for seamless multi-touch functions
- World Class Certifications for Safety and Reliability: UL Listed, FCC, and CE
- Front IP65 Rating for protection against water and dust
- Scratch Resistant 7H Glass Hardness
- Versatile Display Outputs; VGA, HDMI, and DP
- Wide viewing angles for superior clarity and readability
- OSD function for customization in brightness, color temp, contrast ratio, and more for stunning visuals
- Flexibled Mounting: VESA, Panel and Rear Mounting
- MTBF Up to 50,000 Hours and 3 year standard warranty
- Alternative to ELO Open Frame Touchscreens

## Specifications

Display	
IP Rating	Front IP65
LCD Size	15" (4:3)
Max. Resolution	1024x768@60Hz
Brightness (cd/m <sup>2</sup> )	350nits
Contrast Ratio	1000:1
LCD Color	16.7M
Viewing Angle	176/176
Backlight MTBF	50,000 Hours
Display Active Area	305.1x229.1 mm
Response Time	30ms
Touch	
Touch Type	Projected Capacitive (PCAP) Touch, Multi-Touch up to 10 points
Surface Hardness	7H
Transmission	83%
I/O	
OSD	1x Mini Din (External OSD)
USB	1x USB (Type B)
DP	1x DP
HDMI	1x HDMI
VGA	1x VGA
Power	
Power Adapter	100-240V AC, 50-60Hz
Power Supply Voltage	12 VDC
Power Connector	DC Jet 2.1mm
Power Consumption	Max: 17W
Environment	
Operating Temperature	0°C to 40°C
Storage Temperature	-20°C to 60°C
Relative Humidity	Operating: 20% to 80% Storage: 10% to 90% Non-Condensing
Compliance	
Certification	FCC, CE, UL 62368-1 3rd Ed
Warranty	3 Years
Physical	
Dimensions	358 (W) x 284.9 (H) x 40.3 (D) mm
Weights	Net: 3.52kg
Construction	Black Case/Bezel Color
Mounting Options	VESA: 75x75mm, 100x100 mm Rear Mounting, Side Mounting

## Available Models

- FIO-XG1500C  
FIO-XG1500C 15" XGA 4:3 IP65 Open Frame Industrial Touchscreen Monitor

## ELO Compatible Models:

- 1590L Series
- PN E176164
- PN E334335

## Packing List


- 1x FIO Series Open-Frame Industrial Touch Monitor
- 1x Power Cord
- 1x Power Adapter
- 1x DP Cable
- 1x HDMI Cable
- 1x VGA Cable
- 1x USB cable for touch
- 1x OSD Remote
- 1x Rear Mounting Brackets

## Exports And Tariff Codes

ECCN	EAR99
HTS	8528.59.1500
ScheduleB	85.28


\* All specifications and photos are subject to change without notice.

External I/O Mechanical Layout




Dimension

Unit: mm



Mounting



OSD

